

## Specification Sheet

### Features & Benefits:

- 100% non-directional fissured pattern.
- Brilliant white reflective finish ensures a clean, beautiful-looking ceiling.
- No added formaldehyde.

See reverse for additional product specifications.


### Applications:

- Hospitality
- Retail
- Offices
- Education
- Healthcare


### Attributes:

ITEM NUMBER	NOMINAL SIZE (Inches/mm)	EDGE DETAIL	NRC	CAC	LR	RECYCLED CONTENT %
<b>SAFETONE® CLASS A</b>						
<b>BET-357</b>	24 x 24 x 1/2	Trim	<b>0.55</b>	<b>30</b>	0.83	<b>33</b>
<b>BET-357M</b>	600 x 600 x 13mm	Trim	<b>0.55</b>	<b>30</b>	0.83	<b>33</b>
<b>BET-397</b>	24 x 48 x 1/2	Trim	<b>0.55</b>	<b>33</b>	0.83	<b>33</b>
<b>BET-397M</b>	600 x 1200 x 13mm	Trim	<b>0.55</b>	<b>33</b>	0.83	<b>33</b>

ASTM E 1264 Classification: Type III, Form 2, Pattern C, D



### Edge Detail:



**TRIM EDGE**  
(Square) 15/16" Grid



# Product Specification Details

## Acoustical Ceilings

### 09 51 00

#### PART 2: PRODUCTS

##### 2.1 GENERAL

Provide Acoustical Ceiling Material manufactured to meet requirements of this specification in accordance with ASTM E 1264.

##### 2.2 MATERIALS

Acoustical Ceiling Units:

1. Type III
2. Form 2
3. Pattern [C] [D]
4. Non-directional fissured and perforated wet-felted lay-in panels and tile
5. Size 1/2" (13mm) thick x [24" x 24"] [600 x 600mm] [24" x 48"] [600 x 1200mm]
6. Edge Detail Trim (Square)
7. Noise Reduction Coefficient (NRC) 0.55
8. Ceiling Attenuation Class (CAC) [30] [33]
9. Light Reflectance Coefficient (LR) 0.83
10. Recycled Content 33
11. Color White
12. Flame Spread Classification Class A
13. Manufacturer, subject to compliance with requirements of this specification, CertainTeed Ceilings
14. Product Name Serene

---

Distributed by:

---

Characteristics, properties or performance of materials or systems manufactured by CertainTeed herein described are derived from data obtained under controlled test conditions. CertainTeed makes no warranties, express or implied, as to their characteristics, properties or performance under any variations from such conditions in actual construction. CertainTeed assumes no responsibility for the effects of structural movement.

NOTICE: The information in this document is subject to change without notice. CertainTeed assumes no responsibility for any errors that may inadvertently appear in this document.

---

#### ASK ABOUT ALL OF OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • WINDOWS • DECKING • RAILING • FENCE  
INSULATION • GYPSUM • CEILINGS • FOUNDATIONS • PIPE

CertainTeed Corporation  
P.O. Box 860  
Valley Forge, PA 19482

Professional: 800-233-8990  
Consumer: 800-782-8777

[www.certainteed.com](http://www.certainteed.com) <http://blog.certainteed.com>

© 11/10 CertainTeed Corporation, Printed in the U.S.A.  
Code No. CTC-4617